

Electrochromic Properties of Mixed Oxides based on Titanium and Niobium

Stephan Ulrich, Christian Szyszko, Sebastian Jung, Michael Vergöhl

Fraunhofer-Institut für Schicht- und Oberflächentechnik IST, Bienroder Weg 54 E, 38108 Braunschweig, Germany

E-Mail: stephan.ulrich@ist.fraunhofer.de

In the past years a strong progress in the field of rechargeable batteries has been achieved. This directly relates to electrochromics [1]; as such electrochromic systems are simply thin film batteries. From this advancement new electrode materials with high charge capacity have appeared. These new materials are also candidates for electrochromic applications, *e.g.*, LiFePO_4 (LFP) [2, 3] or most recently TiNb_2O_7 (TNO) [4-8]. At present however little is known about the electrochromic properties of crystalline LiFePO_4 and none about crystalline TiNb_2O_7 . The present study therefore aims to prepare binary Niobium and Titanium based oxide compounds, and to investigate their combined intercalation and optical properties. Therefore titanium niobium mixed oxide films have been deposited by reactive magnetron serial co-sputtering. After post annealing at 650°C in air, a monoclinic TiNb_2O_7 phase was achieved. Lithium intercalation properties were determined and cathodic switching behavior has been demonstrated for this material. Maximum switching of the integral visual transmittance of 16.8 % has been determined for this sample with a thickness of 156 nm.

- [1] Electrochromics for Smart Windows: Oxide-based Thin Films and Devices, C. G. Granqvist, *Thin Solid Films* 564 (2014) 1.
- [2] Lithium Diffusion in Sputter-deposited Lithium Iron Phosphate Thin-films, M. Köhler, F. Berke-meier, T. Gallasch, G. Schmitz, *J. Power Sources* 236 (2013) 61.
- [3] Electrochromism of Li_xFePO_4 Induced by Intervalence Charge Transfer Transition, S. Furutsuki, S. Chung, S. Nishimura, Y. Kudo, K. Yamashita, A. Yamada, *J. Phys. Chem. C* 116 (2012) 15259.
- [4] New Anode Framework for Rechargeable Lithium Batteries, J.-T. Han, Y.-H. Huang, J.-B. Goodenough, *Chem. Mater.* 23 (2011) 2027.
- [5] Studies on Electrochemical Lithium Insertion in Isostructural Titanium Niobate and Tantalate Phases with shear ReO_3 Structure, D. Saritha, U. V. Varadaraju, *Mater. Res. Bull.* 48 (2013) 2702
- [6] TiNb_2O_7 /Graphene Hybrid Material as High Performance Anode for Lithium-ion Batteries, A. G. Ashish, P. Arunkumar, B. Babu, P. Manikandan, S. Sarang, M. M. Shaijumon, *Electrochim. Acta* 176 (2015) 285.
- [7] Porous TiNb_2O_7 Nanospheres as Ultra Long-life and High-power Anodes for Lithium-ion Batteries, Q. Cheng, J. Liang, N. Lin, C. Guo, Y. Zhu, Y. Qian, *Electrochim. Acta* 176 (2015) 456.
- [8] Fabrication of TiNb_2O_7 Thin Film Electrodes for Li-ion Micro-batteries by Pulsed Laser Deposition, V. Daramalla, T. R. Penki, N. Munichandraiah, S. B. Krupanidhi, *Mater. Sci. Eng. B* 213 (2016) 90.

