

Atomic mechanisms and characteristics of diffusion, sorption and intercalation of hydrogen in nanographite and graphene structures

Yury S. Nechaev

I.P. Bardin Central Research Institute for Ferrous Metallurgy, G.V. Kurdyumov Institute of Metals
Science & Physics, Moscow, Russia
yuri1939@inbox.ru

On the basis of results [1-10] of thermodynamic analysis of a number of the most cited experimental and theoretical data, the atomic mechanisms and characteristics of diffusion (Eqns. 1, 2), sorption (including some chemisorption (Fig. 1)) and intercalation of hydrogen in nanographite and graphene structures are considered.




Fig. 23: Some theoretical models of chemisorption of atomic hydrogen on the basal and edge planes of graphite: “F” – process III ($\Delta H_{III} = -2.5$ eV); “H” – process IV ($\Delta H_{IV} = -3.7$ eV).

According [1-4], the apparent diffusion coefficient ($D_{III,IV}$) and the apparent activation energy ($Q_{III,IV}$) of diffusion of hydrogen atoms in nanographite and graphene structures are described as:

$$D_{III,IV} \sim (D / K_{III,IV}), Q_{III,IV} = (Q - \Delta H_{III,IV}) \approx -\Delta H_{III,IV}, \quad (1, 2)$$

where D and Q (≈ 0.1 eV) are the quantities for the case without the chemisorption influence, $K_{III,IV}$ are the related equilibrium constants, $\Delta H_{III,IV}$ are the chemisorption energies.

References

- [1] Yu.S. Nechaev: *On the nature, kinetics, and ultimate storage capacity of hydrogen sorption by carbon nanostructures*. Physics Uspekhi, **49** (6), 563-591 (2006).
- [2] Yu.S. Nechaev, T.N. Veziroglu: *Mechanism and Energetics of the Unique Spillover Effect Manifestation, Relevance to the Efficient Hydrogen Storage in Graphite Nanofibers*. Intern. J. Chem, **7** (2), 207-212 (2015).
- [3] Yu.S. Nechaev, T.N. Veziroglu: *On the hydrogenation-dehydrogenation of graphene-layer-nanostructures: Relevance to the hydrogen on-board storage problem. // Intern. J. Physical Sci.*, **10** (2), 54-89 (2015).
- [4] Yu. S. Nechaev et al.: *Fundamental open questions on engineering of super hydrogen sorption in graphite nanofibers: Relevance for clean energy applications*. Amer. J. Anal. Chemistry, **5** (16), 1151-1165 (2014).
- [5] Yu.S. Nechaev, V.P. Filippova: *Thermodynamic characteristics and atomic mechanisms of hydrogenation-dehydrogenation of graphene structures*. RENSIT (NANOSYSTEMS), **7** (2), 145-152 (2015).

- [6] Yu.S. Nechaev et al. *On the spillover effect of the solid H₂ intercalation into graphite nanofibers*. NANOSYSTEMS: PHYSICS, CHEMISTRY, MATHEMATICS, **1**, 1-6 (2015) UDC 541.67:541.142.
- [7] Yu.S. Nechaev, V.P. Filippova, A.A. Tomchuk: *Deformation of graphene layers and phase transformations in the hydrogen nanophase intercalated in them*. Russian Metallurgy (Metally), **2016**, # 4, 321–325 (2016).
- [8] Yu.S. Nechaev, V.P. Filippova: *On physics of intercalation of the high density hydrogen nanophase into hydrogenated graphite nanostructures*. Proc. Graphene–2015, Novosibirsk.
- [9] Yu.S. Nechaev et al.: *Thermodynamic characteristics and atomic mechanisms of interactions of hydrogen with graphite and graphene*. Proc. Carbon-2016, Troitsk, Moscow (www.ruscarbon.com).
- [10] Yu.S. Nechaev, M.Yu. Nechaev: *On probable differences in General Motors vs Toyota Mirai technologies of the hydrogen on-board storage*. Proc. RE-2016, A.F. Ioffe Physical-Technical Institute, St. Petersburg.

The work is supported by the Russian Scientific Foundation (project 17-19-01589).